

L Number	Hits	Search Text	DB	Time stamp
1	8	6201611.pn. 5580177.pn. 6345319.pn. 5809287.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/05 14:31
-	4765	((709/203) or (710/18,104,15,20,21) or (713/1,2,100)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 10:20
-	881623	(install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 10:17
-	2320	((709/203) or (710/18,104,15,20,21) or (713/1,2,100)).CCLS.) and ((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 10:16
-	1172	((709/203) or (710/18,104,15,20,21) or (713/1,2,100)).CCLS.) and ((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name))) and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 10:16
-	1228	((709/203) or (710/18,104,15,20,21) or (713/1,2,100)).CCLS.) and ((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name))) and (settings parameters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 10:17
-	812	((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and printer same (parameters settings) and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 10:19
-	2610	((710/18,104,15,20,21) or (713/1,2,100)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 10:20
-	34	((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and printer same (parameters settings) and server) and ((710/18,104,15,20,21) or (713/1,2,100)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 10:21
-	2179	(709/203).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 10:40
-	15	((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and ((709/203).CCLS.) and ((710/18,104,15,20,21) or (713/1,2,100)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 10:40
-	1	"6138178".PN.	USPAT	2002/08/29 10:48

-	1	6138140.URPN.	USPAT	2002/08/29 10:52
-	1	"5815661".PN.	USPAT	2002/08/29 10:52
-	1	"5797010".PN.	USPAT	2002/08/29 10:53
-	1	"5630066".PN.	USPAT	2002/08/29 10:53
-	1	"5815661".PN.	USPAT	2002/08/29 10:53
-	1	"5630066".PN.	USPAT	2002/08/29 10:53
-	24	((709/203).CCLS.) and (((710/18,104,15,20,21) or (713/1,2,100)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 10:54
-	94	((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and (disconnect\$3 uninstall\$3 re adj connect\$3 reconnect\$3) same (printer and configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 10:58
-	7838	((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and client same (stor\$3 sav\$3 and parameter setting configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 11:37
-	6813	((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and client same (stor\$3 sav\$3 and parameter setting configuration)) and (stor\$3 sav\$3) same client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 11:44
-	2	((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and client same (stor\$3 sav\$3 and parameter setting configuration)) and (priner peripheral) adj3 (configuration setting paramater) near2 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 11:48
-	14	((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and client same (stor\$3 sav\$3 and parameter setting configuration)) and (printer peripheral) adj3 (configuration setting paramater) near2 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 11:51
-	1	(sav\$3 stor\$3) adj3 (printer peripheral) adj3 (configuration setting paramater) adj3 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 11:52
-	2	(sav\$3 record\$3 maintain\$3 stor\$3) near3 ((printer peripheral) adj3 (configuration setting paramater)) near4 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 11:54
-	27	(printer peripheral) adj3 (configuration setting paramater) near4 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 11:59

-	167	(printer peripheral) same (configuration setting paramater) near4 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 12:00
-	52	(sav\$3 stor\$3) same ((printer peripheral) same (configuration setting paramater) near4 client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 12:08
-	901	(sav\$3 stor\$3) same (configuration setting paramater) near4 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 12:08
-	606	(sav\$3 stor\$3) same (configuration setting paramater) adj4 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 12:08
-	217	(sav\$3 stor\$3) same (configuration setting paramater) near4 client and (transmit\$3 adj3 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 12:09
-	47	(sav\$3 stor\$3) near3 (configuration setting paramater) near4 client and (transmit\$3 adj3 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 12:10
-	1	"6138178".PN.	USPAT	2002/08/29 14:20
-	1	"5815661".PN.	USPAT	2002/08/29 14:21
-	1	"5815661".PN.	USPAT	2002/08/29 14:22
-	228	(device peripheral printer) adj4 (setting configuration parameter) same (client and server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 15:36
-	381	(device peripheral printer) adj4 (setting configuration parameter) same (client and server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 16:19
-	292	((device peripheral printer) adj4 (setting configuration parameter) same (client and server)) and (install\$3 load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 15:38
-	1	"6301012".PN.	USPAT	2002/08/29 15:42
-	1	"6301012".PN.	USPAT	2002/08/29 15:42
-	1	"6301710".PN.	USPAT	2002/08/29 15:42
-	1	"6301710".PN.	USPAT	2002/08/29 15:42
-	1	"6246485".PN.	USPAT	2002/08/29 15:43
-	1	"6195171".PN.	USPAT	2002/08/29 15:44
-	1	"6218718".PN.	USPAT	2002/08/29 15:51
-	1	"5933598".PN.	USPAT	2002/08/29 15:51
-	1	"6026438".PN.	USPAT	2002/08/29 16:00
-	1	"6012100".PN.	USPAT	2002/08/29 16:00

-	0	(device peripheral printer) adj4 (setting configuration parameter) same (client adj updat\$3 adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 16:20
-	1	"5946458".PN.	USPAT	2002/08/29 16:08
-	11	5802297.URPN.	USPAT	2002/08/29 16:16
-	0	(device peripheral printer) adj4 (setting configuration parameter) same (client adj3 updat\$3 adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 16:21
-	0	(device peripheral printer) same (setting configuration parameter) same (client adj3 updat\$3 adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 16:21
-	27	(device peripheral printer) same (setting configuration parameter) and (client adj3 updat\$3 adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 16:22
-	3	(device peripheral printer) adj (setting configuration parameter) and (client adj3 updat\$3 adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 16:23
-	95	client adj3 updat\$3 adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 16:23
-	0	(client adj3 updat\$3 adj server) and (peripheral printer) adj (configuration setting parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 16:24
-	2	(client near3 updat\$3 near3 server) and (peripheral printer) adj (configuration setting parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 16:25
-	466	(client near3 updat\$3 near3 server) and (configuration setting parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 16:26
-	19	(client near3 updat\$3 near3 server) near3 (configuration setting parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 16:26
-	4603	((709/200,203,220-223).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 17:04
-	1830	((709/200,203,220-223).CCLS.) and "42"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 17:01
-	46	((((709/200,203,220-223).CCLS.) and ((709/200,203,220-223).CCLS.) and "42")) and printer adj5 (driver configuration profiel paramater setting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 17:03

-	22	((358/1.1, 1.15).CCLS.) and ((709/200,203,220-223).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 17:08
-	116	(client adj2 (updat\$3 restor\$3) adj2 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 17:12
-	385	(client near2 (updat\$3 restor\$3) near2 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 17:28
-	11	5784612.URPN.	USPAT	2002/08/29 17:26
-	227	(transmit\$3 send\$3 updat\$3 restor\$3 copy\$3) adj (printer peripheral device configuration parameter profile settings driver) adj3 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/29 17:31
-	1	5960167.URPN.	USPAT	2002/08/29 17:46
-	0	6336151.URPN.	USPAT	2002/08/29 18:07
-	1	"6092105".PN.	USPAT	2002/08/29 18:07
-	1	"6009480".PN.	USPAT	2002/08/29 18:07
-	12	6009480.URPN.	USPAT	2002/08/29 18:07
-	994018	(install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/30 10:50
-	5036	(358/1.1, 1.15).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/30 10:50
-	1830	((709/200,203,220-223).CCLS.) and (((709/200,203,220-223).CCLS.) and "42")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/30 10:50
-	5443	((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and (client same server) same (configuration parameter peripheral printer transmit\$3 upload\$3 download\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/30 11:00
-	430	((709/200,203,220-223).CCLS.) and (((709/200,203,220-223).CCLS.) and "42")) and (((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and (client same server) same (configuration parameter peripheral printer transmit\$3 upload\$3 download\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/30 11:01

-	72	((((709/200,203,220-223).CCLS.) and ((709/200,203,220-223).CCLS.) and "42")) and (((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and (client same server) same (configuration parameter peripheral printer transmit\$3 upload\$3 download\$3))) and client adj (updat\$3 stor\$3 transmit\$3 disconnect\$3 uninstall\$3) "5720013".PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/30 11:19
-	1	"5720013".PN.	USPAT	2002/08/30 11:10
-	10	5911044.URPN.	USPAT	2002/08/30 11:14
-	621	((((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and (client same server) same (configuration parameter peripheral printer transmit\$3 upload\$3 download\$3))) and client adj (updat\$3 stor\$3 transmit\$3 disconnect\$3 uninstall\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/30 11:43
-	300	((((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and (client same server) same (configuration parameter peripheral printer transmit\$3 upload\$3 download\$3))) and client adj (updat\$3 stor\$3 transmit\$3 disconnect\$3 uninstall\$3)) and (printer scanner peripheral)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/30 11:21
-	169	((((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and (client same server) same (configuration parameter peripheral printer transmit\$3 upload\$3 download\$3))) and client adj (updat\$3 stor\$3 transmit\$3 disconnect\$3 uninstall\$3)) and client same (printer scanner peripheral)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/30 11:21
-	0	((((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and (client same server) same (configuration parameter peripheral printer transmit\$3 upload\$3 download\$3))) and client adj (disconnect\$3 uninstall\$3) adj (printer scanner peripheral)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/30 11:44
-	1	((((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and (client same server) same (configuration parameter peripheral printer transmit\$3 upload\$3 download\$3))) and client adj2 (disconnect\$3 uninstall\$3) near3 (printer scanner peripheral)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/30 11:44

-	9	((install\$3 remov\$3 disconnect\$3 load\$3 printer peripheral restor\$3 renam\$3 redirect\$3) same (configuration setting parameter driver support (driver queue) adj name)) and (client same server) same (configuration parameter peripheral printer transmit\$3 upload\$3 download\$3)) and client same (disconnect\$3 uninstall\$3) near3 (printer scanner peripheral)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/30 11:54
-	1	"5923826".PN.	USPAT	2002/08/30 11:46
-	1	"5901334".PN.	USPAT	2002/08/30 11:46
-	1	"5881213".PN.	USPAT	2002/08/30 11:47
-	1	"5579087".PN.	USPAT	2002/08/30 11:48
-	5	5881213.URPN.	USPAT	2002/08/30 11:48
-	5	SLP near3 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/30 11:55
-	2	5580177.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/03 10:12
-	32	5580177.URPN.	USPAT	2002/09/03 10:11
-	2	5809287.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/03 10:12
-	2	(reconnect\$3 adj2 client) same (driver printer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/03 13:42
-	0	6288790.URPN.	USPAT	2002/09/03 14:17
-	0	6288790.URPN.	USPAT	2002/09/03 14:17
-	1	"5923826".PN.	USPAT	2002/09/03 14:17
-	1	"5901334".PN.	USPAT	2002/09/03 14:17
-	1	"5881213".PN.	USPAT	2002/09/03 14:17
-	44	uninstall\$3 same (driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/04 09:26
-	10	(server adj support) same (driver printer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/04 10:34

-	33	(US-6301012-\$ or US-6112256-\$ or US-5768583-\$ or US-5657448-\$ or US-6356932-\$ or US-6360248-\$ or US-6334147-\$ or US-6138140-\$ or US-5815661-\$ or US-6378128-\$ or US-6336151-\$ or US-5960167-\$ or US-6282590-\$ or US-6269481-\$ or US-5802297-\$ or US-6425001-\$ or US-6286038-\$ or US-5911044-\$ or US-6424424-\$ or US-6301710-\$ or US-6246485-\$ or US-6161125-\$ or US-6119157-\$ or US-6330611-\$ or US-5720013-\$ or US-6330600-\$).did. or (US-6128656-\$ or US-5580177-\$ or US-6288790-\$ or US-5923826-\$ or US-5809287-\$ or US-6345319-\$ or US-6032201-\$).did.	USPAT	2002/09/04 10:42
-	1	((US-6301012-\$ or US-6112256-\$ or US-5768583-\$ or US-5657448-\$ or US-6356932-\$ or US-6360248-\$ or US-6334147-\$ or US-6138140-\$ or US-5815661-\$ or US-6378128-\$ or US-6336151-\$ or US-5960167-\$ or US-6282590-\$ or US-6269481-\$ or US-5802297-\$ or US-6425001-\$ or US-6286038-\$ or US-5911044-\$ or US-6424424-\$ or US-6301710-\$ or US-6246485-\$ or US-6161125-\$ or US-6119157-\$ or US-6330611-\$ or US-5720013-\$ or US-6330600-\$).did. or (US-6128656-\$ or US-5580177-\$ or US-6288790-\$ or US-5923826-\$ or US-5809287-\$ or US-6345319-\$ or US-6032201-\$).did.) and disconnect	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/04 11:05
-	5	((US-6301012-\$ or US-6112256-\$ or US-5768583-\$ or US-5657448-\$ or US-6356932-\$ or US-6360248-\$ or US-6334147-\$ or US-6138140-\$ or US-5815661-\$ or US-6378128-\$ or US-6336151-\$ or US-5960167-\$ or US-6282590-\$ or US-6269481-\$ or US-5802297-\$ or US-6425001-\$ or US-6286038-\$ or US-5911044-\$ or US-6424424-\$ or US-6301710-\$ or US-6246485-\$ or US-6161125-\$ or US-6119157-\$ or US-6330611-\$ or US-5720013-\$ or US-6330600-\$).did. or (US-6128656-\$ or US-5580177-\$ or US-6288790-\$ or US-5923826-\$ or US-5809287-\$ or US-6345319-\$ or US-6032201-\$).did.) and disconnect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/04 11:05
-	952	(printer peripheral device) same queue same (delet\$3 remov\$3 uninstall\$3 un adj install\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/04 15:26
-	306	(printer peripheral device) same queue near2 (delet\$3 remov\$3 uninstall\$3 un adj install\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/04 15:36
-	31	(delet\$3 remov\$3 uninstall\$3 un adj install\$3) adj (printer peripheral device) same queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/04 17:16
-	28	(uninstall\$3 un adj install\$3) adj (printer peripheral device driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/04 17:17



-	0	uninstall adj printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/05 09:03
-	1	uninstall\$3 adj printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/05 09:04
-	1	uninstall\$3 adj print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/05 09:05
-	0	uninstall\$3 adj print	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/05 09:04
-	1	un adj install\$3 adj print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/05 09:04
-	6	uninstall\$3 adj2 print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/05 09:17
-	0	10124435.URPN.	USPAT	2002/09/05 09:12
-	0	JP10124435A	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/05 09:13
-	2	"10124435"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/05 09:14
-	12	uninstall\$3 adj2 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/05 09:19
-	17	uninstall\$3 adj3 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/05 09:20
-	22	uninstall\$3 adj3 (printer driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/05 09:20